

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	IS&R	2	("4851660").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 13:25		
2	BRS	0	ep-0390969-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 17:01		
3	BRS	1	ep-390969-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 17:02		
4	BRS	2	de-4212066-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 17:02		
5	IS&R	2	("4318582").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 17:12		
6	BRS	25	4318582.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/17 17:13		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
7	BRS	23	(4318582.uref.) and position	USPAT; US-PGPUB; EPO; 2003/01/17 JPO; DERWENT; 17:13 IBM_TDB	2003/01/17 17:13		
8	BRS	23	(4318582.uref.) and position and (light or optical or optic or optically)	USPAT; US-PGPUB; EPO; 2003/01/18 JPO; DERWENT; 15:14 IBM_TDB	2003/01/18 15:14		
9	BRS	3	(4318582.uref.) and position and (light or optical or optic or optically) and threshold	USPAT; US-PGPUB; EPO; 2003/01/17 JPO; DERWENT; 17:17 IBM_TDB	2003/01/17 17:17		
10	BRS	15	(4318582.uref.) and position and (light or optical or optic or optically) and (predetermined or threshold or desired)	USPAT; US-PGPUB; EPO; 2003/01/17 JPO; DERWENT; 17:20 IBM_TDB	2003/01/17 17:20		
11	BRS	3	(4318582.uref.) and position and (light or optical or optic or optically) and (predetermined or threshold or desired) and computer	USPAT; US-PGPUB; EPO; 2003/01/18 JPO; DERWENT; 14:21 IBM_TDB	2003/01/18 14:21		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
12	BRS	1731	702/85, 94, 124, 126, 127, 150, 159, 175.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 13:38		
13	BRS	1003	702/for.130, for.131, for.144, for.156, for.170, for.171.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 13:43		
14	BRS	3762	250/261, 262, 201.9.203.1, 203.2, 205, 234-236.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 09:45		
15	BRS	7281	359/196-205, 212, 214-217, 800, 813, 823, 838, 873, 874.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 09:47		
16	BRS	6	5303080.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 10:01		
17	BRS	11	(359/196-205, 212, 214-217, 800, 813, 823, 838, 873, 874.ccls.) and digital adjl signal adjl processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/18 15:16		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
18	BRS	46	data adj1 aquisition adj1 system	USPAT; US-PGPUB; EPO; 2003/01/18 JPO; DERWENT; 16:33 IBM_TDB	2003/01/18 16:33		
19	BRS	0	(data adj1 aquisition adj1 system) with memory	USPAT; US-PGPUB; EPO; 2003/01/18 JPO; DERWENT; 16:33 IBM_TDB	2003/01/18 16:33		
20	BRS	16	(data adj1 aquisition adj1 system) and memory	USPAT; US-PGPUB; EPO; 2003/01/18 JPO; DERWENT; 16:34 IBM_TDB	2003/01/18 16:34		
21	BRS	4	(data adj1 aquisition adj1 system) same memory	USPAT; US-PGPUB; EPO; 2003/01/18 JPO; DERWENT; 16:34 IBM_TDB	2003/01/18 16:34		
22	BRS	0	(359/196-205,212,214-217,800,813,823,838,873,874.ccl s.) and intensity with distribution with position with signal	USPAT; US-PGPUB; EPO; 2003/01/20 JPO; DERWENT; 13:29 IBM_TDB	2003/01/20 13:29		
23	BRS	18	intensity with distribution with position with signal with maximum	USPAT; US-PGPUB; EPO; 2003/01/24 JPO; DERWENT; 09:17 IBM_TDB	2003/01/24 09:17		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
24	BRS	365	intensity with distribution with position with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:17		
25	BRS	1	intensity with distribution with position with signal and geometric adj center	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 09:32		
26	BRS	116	356/4.07.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 09:27		
27	BRS	0	(356/4.07.ccls.) and intensity with (geometric adj center)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 09:28		
28	BRS	6	(356/\$.ccls.) and intensity with (geometric adj center)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 09:29		
29	BRS	10	intensity with distribution and position with signal and geometric adj center	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 09:34		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
30	BRS	22	intensity with distribution and position with signal and geometric with center	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 09:34		
31	BRS	0	6037583.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 09:53		
32	BRS	1	"5187364".PN.	USPAT	2003/01/20 09:53		
33	BRS	1	"4800270".PN.	USPAT	2003/01/20 10:00		
34	BRS	3397	microprocessor adj1 computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 10:01		
35	BRS	24	microprocessor adj1 computer and position with light with detector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 10:08		
36	BRS	7	microprocessor adj1 computer and position with light with detector and mirror	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 10:08		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
37	BRS 538	(359/196-205,212,214-217,800,813,823,838,873,874.ccl s.) and light adj1 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:30		
38	BRS 0	(359/196-205,212,214-217,800,813,823,838,873,874.ccl s.) and mirror with converter with (processor or microprocessor or controller) with detector and light adj1 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:32		
39	BRS 0	mirror with converter with (processor or microprocessor or controller) with detector and light adj1 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:32		
40	BRS 1193	mirror and converter and (processor or microprocessor or controller) and detector and light adj1 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:33		
41	BRS 0	mirror with (processor or microprocessor or controller) with detector with converter and light adj1 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:34		
42	BRS 21	mirror with (processor or microprocessor or controller) with detector and converter and light adj1 sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:36		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
43	BRS	22	mirror with (processor or microprocessor or controller) with detector and converter and (beam or light) adj sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 14:01		
44	BRS	1	mirror with (processor or microprocessor or controller) with detector and converter and (beam or light) adj sources not (mirror with (processor or microprocessor or controller) with detector and converter and light adj sources)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:37		
45	BRS	1	"4800271".PN.	USPAT	2003/01/20 13:48		
46	BRS	1	"4800270".PN.	USPAT	2003/01/20 13:49		
47	BRS	21	mirror with (processor or microprocessor or controller) with detector and converter and light adj sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:51		
48	BRS	713	mirror with (processor or microprocessor or controller) and (beam or light) adj sources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:53		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
49	BRS	34	mirror with (processor or microprocessor or controller) with ((beam or light) adj sources)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 13:53		
50	BRS	5	stationary with mirror with (processor or microprocessor or controller) with detector and (beam or light) adj source	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 14:02		
51	BRS	10	distribution with laser with (beam or source) with stationary with mirror	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:25		
52	BRS	598	distribution with function and mirror with laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 15:15		
53	BRS	12	distribution with function with mirror with laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 15:33		
54	BRS	43	distribution with function and stationary with mirror and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 15:34		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio on
55	BRS	11	distribution with function and stationary with mirror with laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 15:45		
56	BRS	5	3982253.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 15:37		
57	BRS	1	distribution with function same stationary with mirror with laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/20 15:46		
58	BRS	14	distribution same stationary with mirror with laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:24		
59	BRS	1	distribution with (stationary near mirror) and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:24		
60	BRS	9	distribution same stationary near mirror and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:31		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
61	BRS	0	distribution with initially with stationary with ("test object" or mirror or reflector) and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:32		
62	BRS	0	distribution with function with stationary with ("test object" or mirror or reflector) and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:33		
63	BRS	1	distribution with function same stationary with ("test object" or mirror or reflector) and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:34		
64	BRS	48	distribution with function and stationary with ("test object" or mirror or reflector) and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:51		
65	BRS	728	stationary near1 ("test object" or mirror or reflector) and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:52		
66	BRS	224	stationary near1 ("test object" or mirror or reflector) with laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 09:53		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
67	BRS	23	distribution with stationary with ("test object" or mirror or reflector) and laser with (beam or source)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 10:05		
68	BRS	1	distribution with function with stationary with ("test object" or mirror or reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 10:06		
69	BRS	4	distribution with function same stationary with ("test object" or mirror or reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 10:07		
70	BRS	29	distribution with function and stationary near1 ("test object" or mirror or reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 10:21		
71	BRS	4	distribution with function and stationary near1 reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/21 10:21		
72	BRS	209	intensity with distribution with position with signal and (threshold or predetermined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:19		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
73	BRS	89	intensity with distribution with position with signal and (threshold or predetermined) and resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:23		
74	BRS	22	intensity with distribution with position with signal and (threshold or predetermined) with (peak or maximum) with intensity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:24		
75	BRS	0	distribution with laser with (beam or source) with stationary with mirror and (threshold or predetermined) with (peak or maximum) with intensity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:25		
76	BRS	5	distribution with laser with (beam or source) with mirror and (threshold or predetermined) with (peak or maximum) with intensity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 10:11		
77	BRS	3	6154270.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:53		
78	BRS	2	(6154270.uref.) and intensity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:59		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
79	BRS	0	(5479583.uref.) and maximum with (threshold or predetermined) with intensity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 09:59		
80	BRS	0	(5479583.uref.) and maximum with (threshold or predetermined) with (intensity or intensities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 10:00		
81	BRS	0	(5479583.uref.) and (threshold or predetermined) with (intensity or intensities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 10:00		
82	BRS	1	(5479583.uref.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 10:00		
83	BRS	1	"5721608".PN.	USPAT	2003/01/24 10:09		
84	BRS	18	distribution with (beam or source) with mirror and (threshold or predetermined) with (peak or maximum) with (intensity or intensities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/24 10:15		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
85	IS&R 2		("4991072").PN.	USPAT; US-PGPUB; EPO; 2003/01/24 JPO; DERWENT; 10:15 IBM_TDB			